

3 DIMENSIONS OF FUSION

Just the Facts about Interbody Materials

PERCEPTION

- Only material matters for biological fixation.
- PEEK causes fibrous layers to form between the implant and vertebral body.
- Titanium coated implants delaminate.
- PEEK implants cause osteolysis.
- Biological cellular response is not influenced by topography.

REALITY

- The surface texture is a better predictor of biological fixation.^{1,2}
- Surface texture, or the lack thereof, is the reason for fibrous layer formation.^{3,4}
- Available data is inconsistent and varies depending on manufacturing process or other variables.^{5,6}
- Data points to other factors causing osteolysis, not material. In a case report, Takenada et al found that an osteolytic vertebral defect was induced by cellulose particles from cotton gauze fibers.^{7,8}
- Topography has been shown to influence cellular response.^{1,9-12}

In vivo animal studies show bone formation at interface is dependent on surface modification.

In the dental field, it is well known that presence of a fibrous layer can be avoided by controlling the surface properties of the implant.¹³ In animal studies, more fibrous tissue contact was observed on implants with smooth surfaces compared to roughened surfaces.

In a mechanical study, Kienle et al., observed detached wear particles of titanium-coated implants but no full delamination. In Medtronic-sponsored mechanical testing of proprietary implants, no delamination occurred.

In several *in vitro* studies, surface texture was found to affect cell proliferation, differentiation, and growth factor production.

Animal models are not necessarily indicative of human clinical outcomes.

REFERENCES

1. Schwartz et al., *J Bone Joint Surg Am.* 2008; 90:2485-98
2. Deng et al., *Int J Biomed.* 2014. 10(1):1425-1447
3. Pelletier et al., *Clin Spine Surg* 2016;29:E208-E214
4. Thomas et al., *J Biomed Mater Res.* 1987 Dec;21(12):1395-414
5. Kienle et al., *The Spine Journal* 2016; 16: 235-242
6. Data on file.
7. Takenaka et al., *J Neurosurg Spine.* 2014 Dec;21(6):877-81
8. Tanidai et al., *Spine* 2016. 41(20):E1216-E1222
9. Olivares-Navarrete et al. *Spine J.* 2013 November; 13(11)
10. Olivares-Navarrete et al. *Spine J.* 2012 March ; 12(3): 265-27 2
11. Torstrick et al., *Clin Orthop Relat Res* 2016; 4:4742373-2383
12. Yoon et al. *Spine J.* 2016; 16: 1238-1243
13. Albrektsson T, Wennerberg A. *Int J Prosthodont.* 2004. 17:536-43.

3 DIMENSIONS OF FUSION

For intervertebral bony fusion, interbody spacers (i.e., intervertebral devices or cages) are used to increase disc height, restore segmental lordosis, and stabilize the vertebral segment until arthrodesis and permanent stabilization take place. Interbody spacers have different geometries and functionality, to meet the requirements of a given procedure, and are made of different materials. The most commonly used spinal interbody devices for lumbar interbody fusion are composed of metallic (e.g., titanium [Ti] and its alloys) or polymer (e.g., polyetheretherketone [PEEK]) materials. Titanium-aluminum vanadium alloy (Ti-6Al-4V, TiAlV) is the most common Ti alloy. The materials of synthetic spacers have been shown to have desirable biocompatibility, and mechanical properties.

While *in vivo* animal studies have shown that surface texture plays a role in achieving biological fixation (i.e., bony formation at the bone to implant interface and mechanical integration), there are currently no controlled, clinical studies correlating long-term fusion outcomes with surface topography.

TEXTURE
MATTERS
FOR
BIOLOGICAL
FIXATION

MATERIAL
MATTERS
FOR
STABILITY &
IMAGING

FUNCTION
MATTERS
FOR
CORRECTION

Medtronic

Medtronic
Spinal and Biologics Business
Worldwide Headquarters

2600 Sofamor Danek Drive
Memphis, TN 38132

Medtronic Canada

99 Hereford Street
Brampton, ON, L6Y 0R3

(905) 460-3800
(800) 268-5346

Medtronic Sofamor Danek USA, Inc.

1800 Pyramid Place
Memphis, TN 38132

(901) 396-3133
(800) 876-3133
Customer Service: (800) 933-2635

Please see the package insert for the complete list of indications, warnings, precautions, and other important medical information.